

FRIEDMAN & BRUYA, INC.**ENVIRONMENTAL CHEMISTS**

Date of Report: October 9, 1995

Date Received: October 5, 1995


Project: Metro Self Monitor, PO #M 50918

**RESULTS FROM THE ANALYSIS OF WATER SAMPLES
FOR CHROMIUM, COPPER, NICKEL, ZINC
Samples Processed Using Method 3005
Results Reported as mg/L (ppm)**



<u>Sample ID</u>	<u>Chromium</u>	<u>Copper</u>	<u>Nickel</u>	<u>Zinc</u>
M 50918	0.42	0.22	0.39	0.06
<u>Quality Assurance</u>				
Blank	<0.05	<0.05	<0.05	<0.05
M 50918 (Duplicate)	0.41	0.22	0.38	0.07
M 50918 (Matrix Spike) % Recovery	98	94	98	99
M 50918 (Matrix Spike Duplicate) % Recovery	96	91	96	97
Spike Blank % Recovery	96	93	98	98
Spike Level	5	5	5	10

BIB ~~SOBI~~
10-05-95
2110

Send Report To: Alaskan Copperwork Contact GERALD Thompson
Company _____
Address 628 Harrison St
City, State, Zip Seattle WA 98134
Phone # (206) 382-8375 Date 10-5-95

SITE NO.		PROJECT NAME		PURCHASE ORDER #	
7238		metro Self monitor		m 50918	
SAMPLERS (signature)				PROJECT LOCATION	
				3200 6th Ave S	
REMARKS				SAMPLE DISPOSAL INFORMATION	
				<input type="checkbox"/> Dispose after 30 days <input checked="" type="checkbox"/> Return Samples <input type="checkbox"/> Call for Instructions	

[illegible]

SIGNATURE	PRINT NAME	COMPANY	Date	Time
Relinquished by: 	Gerald Thompson	A - C W.	10/5/95	2:08
Received by: 	Cathy Downing	FBI	10/5/95	2:10
Relinquished by:				
Received by:				

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Andrew John Friedman
James E. Bruya, Ph.D.
(206) 285-8282

3012 16th Avenue West
Seattle, WA 98119-2029
FAX: (206) 283-5044

October 9, 1995

Gerald Thompson, Project Leader
Alaskan Copper Works
628 South Hanford
Seattle, WA 98134


Dear Mr. Thompson:

Enclosed are the results from the testing of material submitted on October 5, 1995 from your Metro Self Monitor, PO #M 50918 project.

We appreciate this opportunity to be of service to you and hope you will call if you should have any questions.

Sincerely,

FRIEDMAN & BRUYA, INC.



Bradley T. Benson
Chemist

keh
Enclosures
FAX: 382-7335
ACU1009R.DOC

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Andrew John Friedman
James E. Bruya, Ph.D.
(206) 285-8282

3012 16th Avenue West
Seattle, WA 98119-2029
FAX: (206) 283-5044

October 9, 1995

**INVOICE # 95ACU1009-1
DUPLICATE COPY**

Alaskan Copper Works
628 South Hanford
Seattle, WA 98134

RE: Project Metro Self Monitor, PO #M 50918: Results of testing requested by
Gerald Thompson, Project Leader for material submitted on October 5, 1995.

1 water sample analyzed for Chromium, Copper,
Nickel and Zinc @ \$65 per sample

\$ 65.00

Amount Due

\$ 65.00